# ORDER FORM



V3 /05.2024

# PAVS POWER ASSISTED WHEELCHAIR SYSTEM

Company/Customer ID:	P.O. Number:	Date:
Contact person:	Other delivery address/Company:	
Street address:	Street address:	
City and Post Code:	City and Post Code:	
TEL:		
E-Mail:	Remark:	

REQUEST A QUOTE

O PLACE AN ORDER

User Information:	Form of the front tubes:
User name as reference:	
Wheelchair Brand/Model:	OVAL
Approx user weight:	KÜSCHALL K2
Front Tube Diameter:	KÜSCHALL KI
Distance between front tubes (center to center):	MEYRA FUSE R
	OFFCARR THEMIS
REQUEST DELIVERY DATE:	OTHER

1

#### 1. PAWS with standard center piece for mounting widths between 295-540 mm (default)

Models	Specifications	Price excl. VAT	Choose size and version	Qty
	• Motor: 350W	RPI12MMS00	Manual/Manual	
110	• Width of the center piece: 200 mm	£ 3995	$\bigcirc$	
	By default incl. 107 mm width adjustment rods for fitting width 315-415mm	RPI12AAS00	Auto/Auto	
CITY 12"	• Battery: 48V, 11.6Ah (557Wh)	£ 4995	$\bigcirc$	
	• Light patterned tyre 12 1/2" x 2 1/4", black	RPI12AAT00	Auto/Auto Tetra	
	Alternative stroke length for auto lift /LONG	£ 5395	$\bigcirc$	
	• Motor: 400W	RPI14MMS00	Manual/Manual	
110	• Width of the center piece: 200 mm	£ 4200	$\bigcirc$	
	By default incl. 107 mm width adjustment rods for fitting width 315-415mm	RPI14AAS00	Auto/Auto	
CITY 14"	• Battery: 48V, 11.6Ah (557Wh)	£ 5200	$\bigcirc$	
	Block patterned tyre 3.00"- 8", black	RPI14AAT00	Auto/Auto Tetra	
	Alternative stroke length for auto lift /LONG	£ 5600	$\bigcirc$	
CRUISER 16"	1	RPC16MMS00	Manual/Manual	
	<ul> <li>Motor: 500W</li> <li>Width of the center piece: 200 mm</li> <li>By default incl. 107 mm width adjustment rods for fitting width 315-415mm</li> <li>Battery: 48V, 11.6Ah (557Wh)</li> </ul>	£ 4600	$\bigcirc$	
		RPC16AAS00	Auto/Auto	
		£ 5600	$\bigcirc$	
		RPC16AAT00	Auto/Auto Tetra	
	• Block patterned tyre 16" x 3.0", black	£ 6000	$\bigcirc$	
		RPT20MMS00	Manual/Manual	
TOURER 20" x 4" 🛛 📈 🥂	• Motor: 500W	£ 4895	$\bigcirc$	
(FAT TYRE)	Width of the center piece: 200 mm     By default incl. 107 mm width adjustment	RPT20AAS00	Auto/Auto	
	rods for fitting width 315-415mm	£ 5895	$\bigcirc$	
	• Battery: 48V, 11.6Ah (557Wh)	RPT20AAT00	Auto/Auto Tetra	
	• Block patterned tyre 20" x 4", black	£ 6295	$\bigcirc$	
	1	RPT20MMS01	Manual/Manual	
TOURER 20" x 2"	• Motor: 500W	£ 4995	$\bigcirc$	
	Width of the center piece: 200 mm     By default incl. 107 mm width adjustment	RPT20AAS01	Auto/Auto	
and the state	rods for fitting width 315-415mm	£ 5995	Ó	
557	• Battery: 48V, 11.6Ah (557Wh)	RPT20AAT01	Auto/Auto Tetra	
	• Block patterned tyre 20" x 2.125", black	£ 6395	$\bigcirc$	
Any additional info / remark?			<u> </u>	L
- ,				
Special requirements: Did you know	we can split the functions to meet your client's needs'	,		

### 

#### 1a. Available width adjustment rods for above PAWS with 200 mm center piece

Picture	Description	Extra price excl. VAT	Optional
	<b>107 mm width adjustment rods</b> For wheelchairs with mounting point width: 315-415 mm Rods 107 mm: Left: EBC107L-BK /Right: EBC107R-BK	included	$igodoldsymbol{igo$
center to center	<b>150 mm width adjustment rods</b> For wheelchairs with mounting point width: 400-480 mm Rods 150 mm: Left: EBC150L-BK /Right: EBC150R-BK	£ 0.00	$\bigcirc$
?	<b>190 mm width adjustment rods</b> For wheelchairs with mounting point width: 480-540 mm Rods 190 mm: Left: EBC190L-BK /Right: EBC190R-BK	£ 0.00	$\bigcirc$
	<b>70 mm width adjustment rods</b> (Special side bracket/clamp holder) For wheelchairs with mounting point width: 290-315 mm Rods 70 mm: EBC070-BK (same item for both sides, x2)	£ 0.00	$\bigcirc$
Note: The width must be measured from	the centre to the centre of the front tubes as illustrated in the picture a	above. It should also be	e mounted and

**Note:** The width must be measured from the centre to the centre of the front tubes as illustrated in the picture above. It should also be mounted and measured as high up on the front frame as possible and in the middle of a straight piece of at least 5-6 cm, where the clamps should be placed. Usually the measurement do not have to be 100% accurate, it is good enough with a +/- tolerance of 5-10 mm.

Any additional info / remark?



💐 REHASENSE

#### 2. PAWS narrow center piece for mounting widths between 240-295 mm

Models	Specifications	Price excl. VAT	Choose size and version	Qty
	• Motor: 350W	RPI12MMS15	Manual/Manual	
CITY 12"	• Width of the center piece: 150 mm	£ 3995	$\bigcirc$	
- I for	<ul> <li>By default incl. 80 mm width adjustment rods for fitting width 265-295mm</li> </ul>	RPI12AAS15	Auto/Auto	
	• Battery: 48V, 11.6Ah (557Wh)	£ 4995	$\bigcirc$	
	• Light patterned tyre 12 1/2" x 2 1/4", black	RPI12AAT15	Auto/Auto Tetra	
	Alternative stroke length for auto lift /LONG	£ 5395	$\bigcirc$	
in al	• Motor: 400W	RPI14MMS15	Manual/Manual	
• By d	By default incl. 80 mm width adjustment rods for fitting width 265-295mm Battery: 48V, 11.6Ah (557Wh) Block patterned tyre 3.00"-8". black	£ 4200	$\bigcirc$	
		RPI14AAS15	Auto/Auto	
		£ 4600	$\bigcirc$	
		RPI14AAT15	Auto/Auto Tetra	
	Alternative stroke length for auto lift /LONG	£ 5000	$\bigcirc$	
<b>•</b> • 1		RPC16MMS15	Manual/Manual	
CRUISER 16"	Motor: 500W	£ 4600	$\bigcirc$	
	Width of the center piece: 150 mm     By default incl. 80 mm width adjustment	RPC16AAS15	Auto/Auto	
		£ 5600	$\bigcirc$	
	Battery: 48V, 11.6Ah (557Wh)     Block patterned two 16" x 3.0" block	RPC16AAT15	Auto/Auto Tetra	
	• Block patterned tyre 16" x 3.0", black	£ 6000	$\bigcirc$	

Any additional info / remark?

#### 2a. Available width adjustment rods for above PAWS with 150 mm center piece

Picture	Description	Extra price excl. VAT	Optional
center to center	<b>80 mm width adjustment rods</b> For wheelchairs with mounting point width: 265-340 mm Rods 80 mm: Left: EBC080L-BK /Right: EBC080R-BK	included	۲
?	<b>70 mm width adjustment rods</b> (Special side bracket/clamp holder) For wheelchairs with mounting point width: 240-265 mm Rods 70 mm: EBC070-BK (same item for both sides, x2)	£ 0.00	$\bigcirc$
Note:			

The width must be measured from the center to the center of the front tubes as illustrated in the picture above. It should also be mounted and measured as high up on the front frame as possible and in the middle of a straight piece of at least 5-6 cm, where the clamps should be placed. Usually the measurement do not have to be 100% accurate, it is good enough with a +/- tolerance of 5-10 mm.

Any additional info / remark?

#### **3. Speed settings**

			-	-	Reverse	
Customer-specific gear and speed details						
Predefined speed Yes	Yes please use my default setting profile					

and the manufacturer/dealer will deny/refuse any responsibility of accidents or damages to third party.

#### Any additional info / remark?



#### 4. Auto clamps - Here you can select specific clamp version if necessary

Pictures	Description	Extra price excl. VAT	Optional
	C-STD - Auto clamp - <b>default</b> Item numbers: A: EBD01A-SI / B: EBD01B-SI	included	۲
	C-STD - Auto clamp - <b>LONG</b> , Item numbers: A: EBD02A-SI / B: EBD02B-SI	£ 0.00	$\bigcirc$
	K2 K1 MEYRA FUSE R OFFCARR C-K2/MF - Auto clamp 50 mm made for Küschall K2, K1, Meyra FUSE R and OFFCARR Themis tube profiles Item numbers: A: EBDIOA-SI / B: EBDIOB-SI	£ 0.00	$\bigcirc$
	K2 K1 MEYRA FUSE R OFFCARR THEMIS C-K2/MF - Auto clamp 50 mm (LONG) made for Küschall K2, K1, Meyra FUSE R and OFFCARR Themis tube profiles Item numbers: A: EBD10C-SI / B: EBD10D-SI	£ 0.00	$\bigcirc$
	C-OVL - Auto clamp 50 mm with bigger claws designed for oval tubes Item numbers: A: EBD07A-SI / B: EBD07B-SI	£ 0.00	$\bigcirc$
	C-OVL - Auto clamp 50 mm (LONG) with bigger claws designed for oval tubes Item numbers: A: EBD07C-SI / B: EBD07D-SI	£ 0.00	$\bigcirc$
	C-40 - Auto clamp with <b>40 mm high claws</b> Item numbers: A: EBD04A-SI / B: EBD04B-SI	£ 0.00	$\bigcirc$
	C-40 - Auto clamp (LONG) with <b>40 mm high claws</b> Item numbers: A: EBD04C-SI / B: EBD04D-SI	£ 0.00	$\bigcirc$
	C-70 - Auto clamp with <b>70 mm high claws</b> Item numbers: A: EBD05A-SI / B: EBD05B-SI	£ 0.00	$\bigcirc$
	C-70 - Auto clamp (LONG) with <b>70 mm high claw</b> s Item numbers: A: EBD09A-SI / B: EBD09B-SI	£ 0.00	$\bigcirc$
	K2 K1 K1 CONTRACTION OFFCARR C-70 (K2/MF)- Auto clamp 70 mm made for Küschall K2, K1, Meyra FUSE R and OFFCARR Themis tube profiles Item numbers: A: EBD11A-SI / B: EBD11B-SI	£ 0.00	$\bigcirc$
Any additional info / remark?			



### 4. Auto clamps - Here you can select specific clamp version if necessary

Pictures	Description	Extra price excl. VAT	Optional
	C-70 (OVL)- Auto clamp 70 mm with bigger claws designed for oval tubes Item numbers: A: EBD01A-SI / B: EBD01B-SI	£ 0.00	$\bigcirc$
	C-T - Auto clamp with <b>cut-out designed for T-joint</b> Item numbers: A: EBD03A-SI / B: EBD03B-SI	£ 0.00	$\bigcirc$
	C-STD - Auto clamp - standard with bigger opening (up to 55 mm) for large round tubes over Ø32 mm Item numbers: A: EBD01C-SI / B: EBD01D-SI	£ 0.00	$\bigcirc$
Any additional info / remark?	·		

# 5. Manual clamps - Here you can select specific clamp version if necessary

Pictures	Description	Extra price excl. VAT	Optional
	C-STD - Manual clamp with vertical handle - <b>default, w/o safety lock</b> Item numbers: L: EBC00F-SL / R: EBC00E-SL	included	۲
	C-STD - Manual clamp with vertical handle and <b>safety lock</b> Item numbers: L: EBC00B-SL / R: EBC00A-SL	£ 0.00	$\bigcirc$
	C-STD - Manual clamp with vertical handle - <b>LONG, w/o safety lock</b> Item numbers: L: EBC02K-SL / R: EBC02J-SL	£ 0.00	$\bigcirc$
	C-STD - Manual clamp with vertical handle - <b>LONG,Incl. safety lock</b> Item numbers: L: EBC02B-SL / R: EBC02A-SL	£ 0.00	$\bigcirc$
	K2 K1 MEYRA FUSE R OFFCARR FUSE R OFFCARR THEMIS C-K2/MF - Manual clamp 50 mm made for Küschall K2, K1, Meyra FUSE R and OFFCARR Themis tube profiles - <b>w/o safety lock</b> Item numbers: L: EBC15F-SL / R: EBC15E-SL	£ 0.00	$\bigcirc$
	K2 K1 MEYRA FUSE R OFFCARR THEMIS C-K2/MF - Manual clamp 50 mm (LONG) made for Küschall K2, K1, Meyra FUSE R and OFFCARR Themis tube profiles - <b>w/o safety lock</b> Item numbers: L: EBC19F-SL / R: EBC19E-SL	£ 0.00	$\bigcirc$
	C-OVL - Manual clamp 50 mm with bigger claws designed for oval tubes - <b>w/o safety lock</b> Item numbers: L: EBC13F-SL / R: EBC13E-SL	£ 0.00	$\bigcirc$
	C-OVL - Manual clamp 50 mm (LONG) with bigger claws designed for oval tubes - <b>w/o safety lock</b> Item numbers: L: EBC18F-SL / R: EBC18E-SL	£ 0.00	$\bigcirc$



C-40 - Manual clamp with vertical handle and 40 mm       f 0.00         Hem numbers: L: EBC03F-SL / R: EBC03E-SL       f 0.00         C-40 - Manual clamp with vertical handle, 40 mm       f 0.00         Neigh claws and safety lock       f 0.00         Item numbers: L: EBC04B-SL / R: EBC04A-SL       f 0.00         C-40 - Manual clamp (LONG) with 40 mm       f 0.00         Neigh claws and watery lock       f 0.00         Item numbers: L: EBC04H-SL / R: EBC04G-SL       f 0.00         C-40 - Manual clamp with vertical handle and 70 mm       f 0.00         Neigh claws - w/o safety lock       f 0.00         Item numbers: L: EBC04H-SL / R: EBC04G-SL       f 0.00         C-70 - Manual clamp with vertical handle and 70 mm       f 0.00         Neigh claws - w/o safety lock       f 0.00         Item numbers: L: EBC09F-SL / R: EBC09E-SL       f 0.00         C-70 - Manual clamp with vertical handle, 70 mm       f 0.00         Neigh claws - w/o safety lock       f 0.00         C-70 - Manual clamp LONG) with 70 mm       f 0.00         Neigh claws - w/o safety lock       f 0.00         C-70 - Manual clamp LONG) with 70 mm       f 0.00         Neigh claws - w/o safety lock       f 0.00         Item numbers: L: EBC16F-SL / R: EBC16E-SL       O         C-70 - Kaulal clamp f0 mm				
heigh claws and safety lock Item numbers: L: EBC04B-SL / R: EBC04A-SL       £ 0.00         C:40 - Manual clamp (LONG) with 40 mm heigh claws - w/o safety lock Item numbers: L: EBC04H-SL / R: EBC04G-SL       £ 0.00         C:70 - Manual clamp with vertical handle and 70 mm heigh claws - w/o safety lock Item numbers: L: EBC09F-SL / R: EBC09E-SL       £ 0.00         C:70 - Manual clamp with vertical handle, 70 mm heigh claws and safety lock Item numbers: L: EBC09F-SL / R: EBC09E-SL       £ 0.00         C:70 - Manual clamp with vertical handle, 70 mm heigh claws and safety lock Item numbers: L: EBC08B-SL / R: EBC08A-SL       £ 0.00         C:70 - Manual clamp (LONG) with 70 mm heigh claws - w/o safety lock Item numbers: L: EBC08B-SL / R: EBC08A-SL       £ 0.00         C:70 - Manual clamp (LONG) with 70 mm heigh claws - w/o safety lock Item numbers: L: EBC16F-SL / R: EBC16F-SL       £ 0.00         C:70 - Kanual clamp (LONG) with 70 mm heigh claws - w/o safety lock Item numbers: L: EBC16F-SL / R: EBC16F-SL       £ 0.00         C:70 - K2/2/MFP. Manual clamp 70 mm made for Küschall K2, K1, Meyra FUSE R and OFFCARR Themis       £ 0.00		heigh claws - <b>w/o safety lock</b>		0
heigh claws - w/o safety lock Item numbers: L: EBC04H-SL / R: EBC04G-SL       £ 0.00         C-70 - Manual clamp with vertical handle and 70 mm heigh claws - w/o safety lock Item numbers: L: EBC09F-SL       £ 0.00         C-70 - Manual clamp with vertical handle, 70 mm heigh claws and safety lock Item numbers: L: EBC08A-SL       £ 0.00         C-70 - Manual clamp with vertical handle, 70 mm heigh claws and safety lock Item numbers: L: EBC08B-SL / R: EBC08A-SL       £ 0.00         C-70 - Manual clamp (LONC) with 70 mm heigh claws - w/o safety lock Item numbers: L: EBC16F-SL / R: EBC16E-SL       £ 0.00         C-70 - Manual clamp (LONC) with 70 mm heigh claws - w/o safety lock Item numbers: L: EBC16F-SL / R: EBC16E-SL       £ 0.00         C-70 (K2/MF)- Manual clamp 70 mm made for Küschall K2, K1, Meyra FUSE R and OFFCARR Themis tube profiles - w/o safety lock       £ 0.00		heigh claws <b>and safety lock</b>	£ 0.00	0
heigh claws - w/o safety lock Item numbers: L: EBC09F-SL / R: EBC09E-SL       £ 0.00       0         C-70 - Manual clamp with vertical handle, 70 mm heigh claws and safety lock Item numbers: L: EBC08B-SL / R: EBC08A-SL       £ 0.00       0         C-70 - Manual clamp (LONG) with 70 mm heigh claws - w/o safety lock Item numbers: L: EBC16F-SL / R: EBC16E-SL       6       0       0         Item numbers: L: EBC16F-SL / R: EBC16E-SL       It		heigh claws - <b>w/o safety lock</b>	£ 0.00	0
heigh claws and safety lock Item numbers: L: EBC08B-SL / R: EBC08A-SL       f 0.00       ()         C-70 - Manual clamp (LONG) with 70 mm heigh claws - w/o safety lock Item numbers: L: EBC16F-SL / R: EBC16E-SL       ()       f 0.00       ()         Image: C-70 - Manual clamp (LONG) with 70 mm heigh claws - w/o safety lock Item numbers: L: EBC16F-SL / R: EBC16E-SL       ()       f 0.00       ()         Image: C-70 (K2/MF)- Manual clamp 70 mm made for Küschall K2, K1, Meyra FUSE R and OFFCARR Themis tube profiles - w/o safety lock       f 0.00       ()		heigh claws - <b>w/o safety lock</b>		0
heigh claws - w/o safety lock Item numbers: L: EBC16F-SL / R: EBC16E-SL       f 0.00         Image: Constraint of the second		heigh claws <b>and safety lock</b>	£ 0.00	0
C-70 (K2/MF)- Manual clamp 70 mm made for Küschall K2, K1, Meyra FUSE R and OFFCARR Themis tube profiles - <b>w/o safety lock</b>		heigh claws - <b>w/o safety lock</b>		0
Item numbers: L: EBC17F-SL / R: EBC17E-SL		C-70 (K2/MF)- Manual clamp 70 mm made for Küschall K2, K1, Meyra FUSE R and OFFCARR Themis		0
C-70 (OVL)- Manual clamp 70 mm with bigger claws designed for oval tubes - <b>w/o safety lock</b> Item numbers: L: EBC14F-SL / R: EBC14E-SL		designed for oval tubes - <b>w/o safety lock</b>	£ 0.00	0
C-T - Manual clamp with vertical handle and cut-out for T-joint, <b>w/o safety lock</b> Item numbers: L: EBC05F-SL / R: EBC05E-SL		for T-joint, <b>w/o safety lock</b>	£ 0.00	0
C-T - Manual clamp with vertical handle and cut-outfor T-joint and safety lock Item numbers: L: EBC06B-SL / R: EBC06A-SL       £ 0.00		cut-outfor T-joint and safety lock	£ 0.00	0
Any additional info / remark?	Any additional info / remark?			

# REHASENSE

#### 5a. Longer spindle for manual clamps

Picture	Description	Extra price excl. VAT	Optional
	Longer spindle (88 mm) for manual clamps required for tube diameter over Ø32 mm (for example: Schmicking wheelchairs) Item number: EBC131 (x 2pcs)	£ 0.00	

#### 6. Tube protectors

Picture	Description	Extra price excl. VAT	Optional	Qty
en e	Tube protector for Panthera wheelchairs Item number for 1 piece: EBC02N (x 2pcs) ●	£ 30.00		
	Tube protector 65 mm for ø22 mm tubes and clamps 50 mm Item number for 1 piece: EBC06N (x 2pcs) ●	£ 30.00		
	Tube protector 86 mm for ø22 mm tubes and clamps 70 mm Item number for 1 piece: EBC06N-L (x 2pcs) 🔿	£ 35.00		
	Tube protector 65 mm for ø25 mm tubes and clamps 50 mm Item number for 1 piece: EBC05N (x 2pcs) ●	£ 30.00		
	Tube protector 86 mm for ø25 mm tubes and clamps 70 mm Item number for 1 piece: EBC05N-L (x 2pcs) O	£ 35.00		
Important: Please note that you need 2 pcs per wh	eelchair)			

## 7. Clamp holders - Here you can select alternative clamp holder with

Pictures	Description	Extra price excl. VAT	Optional
	Standard clamp holder - black alu. Item numbers: Left: EBC11L / Right: EBC11R	Included	۲
	Clamp holder with 25mm offset height – silver alu. Item numbers: Left: EBC08L / Right: EBC08R	£ 0.00	$\bigcirc$
	Clamp holder with flat <b>angled socket</b> for very narrow front tubes distance, down to 210 mm – black alu. Item numbers: Left: EBC12L / Right: EBC12R - Can only be used on round tubes (not oval, K1, K2 and FUSE R) - With them, the grip width can be reduced by 30-60 mm	£ 0.00	$\bigcirc$
	Standard clamp holder with <b>angled socket</b> for very narrow front tubes distance, down to 220 mm – black alu. Item numbers: Left: EBC11M / Right: EBC11N - Can only be used on round tubes (not oval, K1, K2 and FUSE R) - With them, the grip width can be reduced by 30-60 mm	£ 0.00	$\bigcirc$
	Offset clamp holder 25 mm with <b>angled socket</b> for very narrow front tubes distance, down to 220 mm – silver alu. Item numbers: Left: EBC08M / Right: EBC08N • - Can only be used on round tubes (not oval, K1, K2 and FUSE R) - With them, the grip width can be reduced by 30-60 mm	£ 0.00	$\bigcirc$

#### 8. Side bracket - Here you can select alternative side bracket

Pictures	Description	Extra price excl. VAT	Optional	Qty
••••	Standard side bracket for clamp holder Length: 105 mm Item number for 1 piece: EBC035W (x 2 pcs)	Included	✓	
•••••	Medium long side bracket for clamp holder Length: 145 mm Item number for 1 piece: EBC045W (x 2 pcs)	£ 0.00		
••••••	Long side bracket for clamp holder Length: 185 mm Item number for 1 piece: EBC055W (x 2 pcs)	£ 0.00		
	Side bracket in L shape for child wheelchairs and similar Length: 140 mm Item numbers - Left: EBC07L / Right: EBC07R ●	£ 0.00		

#### 9. Handlebar Stem (optional)

Pictures	Description	Extra price excl. VAT	Optional
	Standard length: 180-215 mm Item number: EBH00G	Included	✓
	Long: 210-265 mm - Designed for users who need to move the handlebar closer to them Item number: EBH01G	£ 50.00	
	Extra long: 250-305 mm - Designed for users who need to move the handlebar closer to them Item number: EBH05G	£ 55.00	
Adjustable 150°	Clamp for handlebar stem with bigger angle. May be necessary in specific situations. Item number: EBH200-A	£ 25.00	
	Finger screw M6x40 mm for holding/angle adjustment Item number: EBH108-L	£ 5.00	
EBH108-L EBH109 EBH108	Adapted clamo for better fit and length adjustment Item number: EBH109	£ 10.00	
	Finger screw M6x25 mm for length adjustment Item number: EBH108		



#### 10. Soft spring for soft stearing (optional)

Picture	Description	Extra price excl. VAT	Optional
	35-40% softer spring for easier steering primarily intended for people with weak hands / arms and Tetra. Item number: EBF042-S	£ 50.00	

#### **11. Alternative handlebars**

Description	Extra price excl. VAT	Optional
Standard handlebar for PAWS. Ø22 x 48 cm, straight, black alu Item number: EBH002	included	$\overline{ullet}$
Longer handlebar for PAWS. Ø22 x 55 cm, straight, black alu. Item number: EBH222	£ 35.00	$\bigcirc$
Alternative handlebar - W: 520 x Ø22/Ø19 mm - Barbore Ø25,4 mm <b>Rise 30 mm</b> - Backsweep 6° - Black and alu. Item number: EBH30R	£ 50.00	$\bigcirc$
Alternative handlebar - W: 520 x Ø22/Ø19 mm - Barbore Ø25,4 mm <b>Rise 40 mm</b> - Backsweep 10° - Black and alu. Item number: EBH40R O	£ 50.00	$\bigcirc$
Alternative handlebar - W: 520 x Ø22/Ø17 mm - Barbore Ø25,4 mm <b>Rise 50 mm</b> - Backsweep 10° - Black and alu. Item number: EBH50R	£ 50.00	$\bigcirc$
Alternative handlebar - W: 600 x Ø22/ø17 mm - Barbore Ø25,4 mm <b>Rise 40 mm</b> - Backsweep 38° - Black and alu. Item number: EBH301	£ 65.00	$\bigcirc$
	Standard handlebar for PAWS. Ø22 x 48 cm, straight, black alu Item number: EBH002 Longer handlebar for PAWS. Ø22 x 55 cm, straight, black alu. Item number: EBH222 Alternative handlebar - W: 520 x Ø22/Ø19 mm - Barbore Ø25,4 mm <b>Rise 30 mm</b> - Backsweep 6° - Black and alu. Item number: EBH30R Alternative handlebar - W: 520 x Ø22/Ø19 mm - Barbore Ø25,4 mm <b>Rise 40 mm</b> - Backsweep 10° - Black and alu. Item number: EBH40R Alternative handlebar - W: 520 x Ø22/Ø17 mm - Barbore Ø25,4 mm <b>Rise 50 mm</b> - Backsweep 10° - Black and alu. Item number: EBH40R	Descriptionexcl. VATStandard handlebar for PAWS. Ø22 x 48 cm, straight, black alu Item number: EBH002includedLonger handlebar for PAWS. Ø22 x 55 cm, straight, black alu. Item number: EBH222f 35.00Alternative handlebar - W: 520 x Ø22/Ø19 mm - Barbore Ø25,4 mm Rise 30 mm - Backsweep 6° - Black and alu. Item number: EBH30Rf 50.00Alternative handlebar - W: 520 x Ø22/Ø19 mm - Barbore Ø25,4 mm Rise 40 mm - Backsweep 10° - Black and alu. Item number: EBH40Rf 50.00Alternative handlebar - W: 520 x Ø22/Ø19 mm - Barbore Ø25,4 mm Rise 50 mm - Backsweep 10° - Black and alu. Item number: EBH40Rf 50.00Alternative handlebar - W: 520 x Ø22/Ø17 mm - Barbore Ø25,4 mm Rise 50 mm - Backsweep 10° - Black and alu. Item number: EBH50Rf 50.00Alternative handlebar - W: 600 x Ø22/Ø17 mm - Barbore Ø25,4 mm Rise 40 mm - Backsweep 38° - Black and alu.f 50.00

#### 12. Alternative throttle levers

Pictures	Description	Extra price excl. VAT	Optional
	Right-hand throttle lever – default	included	
CORPORT OF THE OWNER OF THE OWN	Left-hand throttle lever Item number: EBEOOM-LT	£ 0.00	
COR OFF	Thumb throttle for PAWS - fits both sides Item number: EBEOOM	£ 50.00	
Where you want it mounted ?	Left side: Right side:		



#### 13. Throttle Grip Assist

Picture	Description	Price excl. VAT	Optional
	Throttle Grip Assist for standard handle - BLACK Item number: EBH218-BK	£ 5.00	
	Throttle Grip Assist for standard handle - BLUE Item number: EBH218-BE	£ 5.00	
	Throttle Grip Assist for standard handle - RED Item number: EBH218-RD	£ 5.00	
	Throttle Grip Assist for standard handle - GREEN Item number: EBH218-GN	£ 5.00	
Can be used for the right hand only	Throttle Grip Assist for standard handle - YELLOW Item number: EBH218-YW	£ 5.00	

#### 14. Hydraulic disc brakes for standard handles

Pictures	Description	Extra price excl. VAT	Optional
(	Complete set of hydraulic disc brake for 12"/14" PAWS - <b>LEFT</b> Prepared/filled with oil and ready for quick installation. Item number: EBH304-L	£ 125.00	
	Complete set of hydraulic disc brake for 12"/14" PAWS - <b>RICHT</b> Prepared/filled with oil and ready for quick installation. Item number: EBH304-R	£ 125.00	
	Complete set of hydraulic disc brake for 16" PAWS - LEFT Prepared/filled with oil and ready for quick installation. Item number: EBH307-L	£ 125.00	
	Complete set of hydraulic disc brake for 16" PAWS - <b>RIGHT</b> Prepared/filled with oil and ready for quick installation. Item number: EBH307-R	£ 125.00	
	Complete set of hydraulic disc brake for 20" PAWS - <b>LEFT</b> Prepared/filled with oil and ready for quick installation. Item number: EBH303-L	£ 125.00	
* Our brakes use Hydraulic Mineral Oil and the fittings are Shimano compatible	Complete set of hydraulic disc brake for 20" PAWS - <b>RIGHT</b> Prepared/filled with oil and ready for quick installation. Item number: EBH303-R	£ 125.00	
ONE-HAND brake - TWIN hydrauli	ic disc brake		
	TWIN hydraulic disc brake for PAWS - <b>LEFT</b> Complete set with 2 brake calipers etc. Item number: EBH03B-L	£ 225.00	$\bigcirc$
	TWIN hydraulic disc brake for PAWS - <b>RICHT</b> Complete set with 2 brake calipers etc. Item number: EBH03B-R	£ 225.00	$\bigcirc$

#### 15. Tetra hydraulic disc brakes

Picture	Description	Price excl. VAT	Optional
	Tetra hydraulic disc brake for 12"/14" PAWS - <b>LEFT</b> . Complete set prepared/filled with oil and ready for quick installation. Item number: EBH04T	£ 225.00	
	Tetra hydraulic disc brake for 16" PAWS - <b>LEFT</b> . Complete set prepared/filled with oil and ready for quick installation. Item number: EBH05T	£ 225.00	
* Our brakes use Hydraulic Mineral Oil	Tetra hydra ulic disc brake for 20" PAWS - <b>LEFT</b> . Com ple te set prepared/filled with oil and ready for quick installation. Item number: EBH03T	£ 225.00	
and the fittings are Shimano compatible	Tetra hydraulic disc brake for 12"/14" PAWS - <b>RICHT</b> . Complete set prepared/filled with oil and ready for quick installation. Item number: EBH04T-R	£ 225.00	
	Tetra hydraulic disc brake for 16" PAWS - <b>RICHT</b> . Complete set prepared/filled with oil and ready for quick installation. Item number: EBH05T-R	£ 225.00	
	Tetra hydra ulic disc brake for 20" PAWS - <b>RIGHT</b> . Complete set prepared/filled with oil and ready for quick installation. Item number: EBH03T-R	£ 225.00	
	Tetra left throltle needed for above right T. brakes Item number: EBE00M-T	£ 0.00	

• Always in stock O Not in stock at the moment. Ask for delivery time.



#### 16. Alternative tyres and patterns

Pic	tures	Description	Extra price excl. VAT	Optional
Default tyre pattern	Alternative tyre pattern	Available tyre for 12" PAWS 12 1/2" x 2.75" with off-road pattern, black Item number: 431210	£ 50.00	
Default tyre pattern 3.00-8"	Alternative tyre pattern	Alternative tyre for 14" PAWS Off-road tyre 3.50"-8", black Item number: 440806	£ 50.00	
Default tyre pattern	Alternative tyre pattern	Alternative tyre No. 1 for 16" PAWS Off-road tyre 3.00x16", black Item number: 431607	£ 100.00	
Default tyre pattern	Alternative tyre pattern	Alternative tyre No. 2 for 16" PAWS Cross tyre 80/100-12", black Item number: 431296	£ 100.00	
Default tyre pattern	Alternative tyre pattern	Alternative tyre No. 3 for 16" PAWS (narrow) Off-road tyre 16"x 2" (54-305), CST BADGER, black Item number: 431699 Required tube for above tyre Tube 16" x 1.75-2.125", with car valve 90"/45° Item number: 451699	£ 80.00	
Default tyre pattern	Alternative tyre pattern	Alternative tyre No. 4 for 16w PAWS (narrow) City tyre 16" x 2.125" (58-305), CST, black Item number: 431609 Required tube for above tyre Tube 16" x 1.75-2.125", with car valve 90"/45° Item number: 451699	£ 80.00	

#### **PAWS** ORDER FORM

Alternative tyre pattern

Fr.

Default tyre pattern

A C C C C C C C C C C C C C C C C C C C		Altemative tyre No. 1 for 20"x4" PAWS Off-road tyre 3.50"x 16", (100-507), black Item number: 43200C	£ 100.00	
Default tyre pattern	Alternative tyre pattern	<b>Altemative tyre No. 2 for 20"x4" PAWS</b> Off-road tyre 20"x 4", (100-507), INNOVA, black Item number: 432009	£ 100.00	
Default tyre pattern	Alternative tyre pattern	<b>Alternative tyre No. 3 for 20" PAWS</b> Cross tyre 90/100-16", black Item number: 411699	£ 125.00	

#### Info: The standard tyre will be shipped to you together with PAWS

#### 17. Dual battery holder

Picture	Description	Price excl. VAT	Optional
del	Dual battery holder (without battery) Item number: EBH141	£ 400.00	

# 💰 REHASENSE

V3 /05.2024

12



#### 18. Support legs - horizontal

Pictures	Description	Price excl. VAT	Optional
	Standard support legs - Vertical	Included	$\bigcirc$
	Foldable support legs for 16" PAWS designed for mounting on the front fork and off-road driving. Item number: EBL01CD	£ 80.00	$\bigcirc$
	Foldable support legs for 20" PAWS designed for mounting on the front fork and off-road driving. Item number: EBL01EF	£ 80.00	$\bigcirc$
Info: Please note that the standard support legs will	be shipped to you together with PAWS		

#### **19. Foot rest for PAWS**

Picture	Description	Price excl. VAT	Optional
	Foot rest for 12"/14" PAWS <b>Only for version with manual lift</b> Item number: EBLOIW This item cannot be preassembled from our side because it takes up too much space in the box	£ 200.00	
	Foot rest for 12"/14" PAWS Only for version with Auto lift Item number: EBL02W This item cannot be preassembled from our side because it takes up too much space in the box	£ 200.00	
	Foot rest for 16" PAWS <b>Fits both versions</b> Item number: EBLOOW This item cannot be preassembled from our side because it takes up too much space in the box	£ 200.00	
O THE REAL PROPERTY OF	Foot rest for 20" PAWS <b>Fits both versions</b> Item number: EBL03W This item cannot be preassembled from our side because it takes up too much space in the box	£ 200.00	



#### 20. Alternative bag holder for PAWS

Picture	Description	Extra price Incl. VAT	Optional
	Platform holder for wire basket for 16" PAWS Item number: EBEOOV-B	£ 0.00	
	Platform holder for wire basket for 20" PAWS Item number: EBE00V-A	£ 0.00	

#### 21. Current customization options for Tetra users

Pictures	Description	Extra price excl. VAT	Optional
	Standard tetra handles - horizontal Item number (set of 2 pcs): EBHOOL *included with paws when tetra model selected	Included	
	Vertical Tetra handles Item number for vertical hand grips (set of 2 pcs): EBH00L-V	£ 40.00	
	Tetra One-Handed Control <b>for left hand</b> - <b>Horizontal</b> handles	£ 70.00	
	Tetra One-Handed Control <b>for left hand</b> - Vertical handle	£ 50.00	
	PUSH TO BRAKE - See the picture on the left. In this way the Tetra handles can be also set to work as push to brake	£ 25.00	
Any additional info / remark?			



#### 22. Other accessories

Pictures	Description	Price excl. VAT	Optional	Qty
	Complete bag incl. holder and bracket for City 12" and 14" Item number: EBH173 * For use with a double battery holder, it is necessary to use a 25 mm longer arm	£ 115.00		
	Bag and holder for Cruiser 16" and Tourer 20" (new version) Item number: EBH178 * For use with a double battery holder, it is necessary to use a 25 mm longer arm	£ 125.00		
	Wire basket and bag for Cruiser 16" and Tourer 20" (can only be used with the platform holder) Item number: EBH086-A	£ 90.00		
	Weights for PAWS that provide optimal traction in demanding situations. There is approx. 10 kg in total (2 x 5 kg) which can be reduced to 7.5 or 5 kg. Fits all PAWS sizes and types with standard support legs only Item number: EBF00E-A	£ 125.00		
· · · II II · · ·	Distance blocks and longer bolts for mounting under the weight holders on PAWS with platform holder for wire basket. Item number: EBFI23DBS	£ 20.00		
C	Longer rail for weights mounting – required for use with horizontal support legs. Item number: EBF123-L O	£ 20.00		
	Transport wheels for PAWS handlebar for easier loading in and out of the car. Version for fitting <b>outside</b> the hand grips set of 2 pcs . Item number: EBHOOY-A	£ 15.00		
	Transport wheels for PAWS handlebar for easier loading in and out of the car. Version for fitting <b>into</b> the handlebar tube - set of 2 pcs. Item number: EBHOOY	£ 35.00		
	Hill-start Assist Control (HAC) Item number: EBH600 O	£ 80.00		
	Phone holder 1 – black aluminium, 360 degree rotation, width range 60-95 mm, thickness of the phone max 11 mm Item number: EBH220	£ 30.00		

11

Ar .	ß	Phone holder 2 - black aluminium, 360 degree rotation, width range 60-100 mm, thickness of the phone max 12 mm Item number: EBH221	£ 35.00	
		Rear View Mirror incl. LED lamp - set of 2 pcs, left and right Item number: EBH00N	£ 75.00	
		Rear view mirror Ø100 mm for the left or right side Fits tubes with at least Ø19 mm internal diameter Item number: EBH01B	£ 50.00	
	No	Bottle holder 1 - Easy to install and very adjustable. Suitable for installation on the handlebar, handlebar stem or steering column. Item number: EBH225-A	£ 30.00	
		Cup/Bottle holder 2 - Easy to install and very adjustable. Suitable for installation on the handle bar, handlebar stem or steering column. Item number: EBH225-B	£ 40.00	
		Smart tyre inflator Item number EBE01D	£ 75.00	
		Airsafe battery 48V, 5,8 Ah Item number: EBB0048B-A	£ 375.00	
REHASENSE		Spare battery pack 48V, 11,6 Ah Item number: EBB0048-A	£ 400.00	
Rent		Charging station for easy connection and charging of the PAWS battery Item number: EBX120DS	£ 65.00	
		Alternative larger wheel for support legs, 3" Ø80 x 24 mm, Ø8 x 24 mm hub Item number: 140396	£ 10.00	



💐 REHASENSE

#### FAT WHEELS FOR WHEELCHAIRS

OFF-ROAD wheelchair wheels are ideal for comfortable and safe driving with your PAWS (wheelchair add-on) especially on bumpy and soft terrain, or wherever you want.

#### Stylish MAG wheel 24"x1.75" suitable for driving with PAWS

Picture	Description	Price for a pair excl. VAT	Optional	Qty
and an address of the address	<b>TYRE:</b> 24"x1.75" with city pattern, black			
	<b>RIM:</b> 507 x 27 mm, black alu.			
	SPOKES: 5 solid spokes, black		With ø1/2"/12.7 mm bearings	
	HUB: Integrated 48/60 mm, offset, black			
	PUSHRIM: Included (black alu. with 6 splices)	£ 250.00		
	OUTSIDE DIAMETER: ca. 600 x 40 mm		264EX8	
	WEIGHT (pair): 5 kg			
and the second second second second	ITEM NUMBER for ø1/2" wheel set: 264EX8			

#### FATBOY wheel 20"×4.0" with Chaoyang tyre

Picture	Description	Price for a pair excl. VAT	Optional	Qty
	TYRE: Chaoyang, Sand Storm 20"×4.0", black			
	RIM: 406 x 80 mm, black alu.			
	SPOKES: 36 pcs, 2 cross, black ø2.3 mm		With	
	HUB: High flange 79/90 mm, offset, black		ø1/2"/12.7 mm bearings	
	PUSHRIM: Not included	£ 450.00		
	OUTSIDE DIAMETER: ca. 571 x 97 mm		26F006SET	
	WEICHT (pair): 5.6 kg			
	ITEM NUMBER for ø1/2" wheel set: 26F006SET			
	Add pushrim at extra price? Item no.: 3420E5 🔵	£ 45.00		

#### FATBOY wheel 20"×4.0" with CST BFT tyre

Picture	Description	Price for a pair excl. VAT	Optional	Qty
	<b>TYRE:</b> CST BFT 20"×4.0", 100-406 mm, black			
	RIM: 406 x 80 mm, black alu.		With	
	SPOKES: 36 pcs, 2 cross, black ø2.3 mm		ø1/2"/12.7 mm bearings	
	HUB: High flange 79/90 mm, offset, black	6 700 00		
	PUSHRIM: Not included	£ 399.00	26F005SET	
	OUTSIDE DIAMETER: ca. 565 x 96 mm			
avade a grade a	WEICHT (pair): 5.1 kg			
Carlos Carlos	ITEM NUMBER for ø1/2" wheel set: 26F005SET			
	Add pushrim at extra price? Item no.: 3420E5 •	£ 45.00		

Always in stock O Not in stock at the moment. Ask for delivery time.



#### FATMAN wheel 24"×2.35" with Schwalbe Crazy Bob tyre

Picture	Description	Price for a pair excl. VAT	Optional	Qty	
FF-101	<b>TYRE:</b> Schwalbe Crazy Bob 24"×2.35", black				
	RIM: 507 x 80 mm, black alu.		14/241-		
	SPOKES: 36 pcs, 2 cross, black Ø2.3 mm		With ø1/2"/12.7 mm bearings		
	HUB: High flange 79/90 mm, offset, black	c ( 00 00			
	PUSHRIM: Included (black alu.with 6 splices)	£ 499.00			
	OUTSIDE DIAMETER: ca. 625 x 78 mm		26F411SET		
	WEICHT (pair): 6.1 kg				
10 Mart	ITEM NUMBER for ø1/2" wheel set: 26F411SET				

#### EASY RIDER wheel 24"×2" with Schwalbe Big Apple tyre

Picture	Description	Price for a pair excl. VAT	Optional	Qty
	<b>TYRE:</b> Schwalbe Big Apple 24"×2", black			
	RIM: 507 x 57 mm, black alu.			
	SPOKES: 36 pcs, 2 cross, black ø2.3 mm		With ø1/2"/12.7 mm bearings	
	HUB: High flange 53/64 mm, offset, black	0.705.00		
	PUSHRIM: Included (black alu.with 6 splices)	£ 375.00		
	OUTSIDE DIAMETER: ca. 610 x 57 mm		26F413SET	
	WEICHT (pair): 4.8 kg			
	ITEM NUMBER for ø1/2" wheel set: 26F413SET			

#### EASY RIDER wheel 24" × 2" with Schwalbe SMART SAM tyre

Picture	Description	Price for a pair excl. VAT	Optional	Qty
	TYRE: Schwalbe SMART SAM 24"×2", black			
	RIM: 507 x 57 mm, black alu.		With ø1/2"/12.7 mm bearings 26F414SET	
	SPOKES: 36 pcs, 2 cross, black Ø2.3 mm			
	HUB: High flange 53/64 mm, offset, black			
	PUSHRIM: Included (black alu. with 6 splices)	£ 395.00		
	OUTSIDE DIAMETER: ca. 615 x 60 mm			
	WEIGHT (pair): 4.7 kg			
Sam Br	ITEM NUMBER for ø1/2" wheel set: 26F414SET			

#### V3 /05.2024



#### FLEX RIDER wheel 24"×2.35" with Schwalbe Crazy Bob tyre

	Picture	Description	Price for a pair excl. VAT	Optional	Qty	
	TYRE: Schwalbe Crazy Bob 24"x 2.35", black         RIM: 507 x 57 mm, black alu.					
	SPOKES: 36 pcs, 2 cross, black ø2.3 mm		With ø1/2"/12.7 mm bearings			
		HUB: High flange 53/64 mm, offset, black	£ 499.00	26F417SET		
		PUSHRIM: Included (black alu.with 6 splices)				
		OUTSIDE DIAMETER: ca. 628 x 67 mm				
		WEIGHT (pair): 5.8 kg				
		ITEM NUMBER for ø1/2" wheel set: 26F417SET				

#### FLEX RIDER wheel 24"×2.35" with Schwalbe SMART SAM tyre

Picture	Description	Price for a pair excl. VAT	Optional	Qty
	TYRE: Schwalbe SMART SAM 24"×2.35", black         RIM: 507 x 57 mm, black alu.			
	SPOKES: 36 pcs, 2 cross, black Ø2.3 mm	ø	With ø1/2"/12.7 mm bearings	
	HUB: High flange 53/64 mm, offset, black	6 535 00		
	PUSHRIM: Included (black alu. with 6 splices)	£ 525.00		
	OUTSIDE DIAMETER: ca. 625 x 64 mm		26F417SET	
	WEICHT (pair): 5 kg			
MART SA	ITEM NUMBER for ø1/2" wheel set: 26F416SET			

#### **QR-Axles for above FAT wheels**

Picture	Description	Item numbers		Price for a pair excl. VAT	Optional	Qty
	QR-Axles 99 mm with black alu release button incl. RHS logo - <b>or MAC wheel</b>	ؽ"/12.7 mm 61	181M1 ●	- £10.00		
	QR-Axles 108 mm with black alu release button incl. RHS logo - <b>for MAC wheel</b>	ؽ"/12.7 mm 61	181M2 ●			
	QR-Axles 130 mm with black alu release button incl. RHS logo - <b>for wheels with hub 79/90 mm</b>	ؽ"/12.7 mm 61	183E5 ●			
	QR-Axles 140 mm with black alu release button incl. RHS logo - <b>for wheels with hub 79/90 mm</b>	ø½"/12.7 mm 61	183E1 ●			
	QR-Axles 145 mm with black alu release button incl. RHS logo - <b>for wheels with hub 79/90 mm</b>	ؽ"/12.7 mm 6]	183D8 ●	£ 12.00		
	QR-Axles 150 mm with black alu release button incl. RHS logo - <b>for wheels with hub 79/90 mm</b>	ø½"/12.7 mm 61	183D9 ●			



# **QR-Axles for above FAT wheels - continued**

Picture	Description	ltem numb	bers	Price for a pair excl. VAT	Optional	Qty							
	QR-Axles 104 mm with black alu release button incl. RHS logo - <b>for wheels with hub 53/64 mm</b>	ؽ"/12.7 mm 618	● B3E2					610.00	610.00	610.00	610.00		
	QR-Axles 114 mm with black alu release button incl. RHS logo - <b>for wheels with hub 53/64 mm</b>	ؽ"/12.7 mm 618	● B3E3	£10.00									

#### Distance bushings for placement between the FAT wheel and bushing

Picture	Description	Price for a pair excl. VAT	Optional	Qty
	Distance bushing ø1/2"x 6mm, galvanized steel Item number: 1942C3			
	Distance bushing ø1/2"x 9mm, galvanized steel Item number: 1942C4	£ 3.00		
	Distance bushing ø1/2"x 12mm, galvanized steel Item number: 1942C5			

Other important information for that order (copy of the mail etc.)

Customer Signature